Outfits include just about everything you need to get started on your cutting, welding, brazing or heating projects. Our heavy-duty, medium-duty and Versa-Torch[™] torches are covered by our True Blue[®] lifetime torch warranty — the best in the industry, and the only warranty that covers normal wear and tear. The Toughcut[™] and Tag-A-Long[™] torches are backed by a 3-year limited warranty.



Heavy-Duty Outfits (pages 4-5)

Our premium heavy-duty outfits are capable of performing almost any cutting, welding, brazing or heating operation with the widest array of general and special-purpose tip options available. The rugged high-flow torch is capable of cutting up to 8-inch-thick steel and accommodates large heating tips, while the one-piece hand-cutting torches will cut up to 12 inches. These robust torches and regulators provide maximum durability even in the harshest environments.



Medium-Duty Outfits (page 6)

Our medium-duty outfits are capable of a wide range of cutting, welding, brazing or heating applications, and provide excellent agility for precision cutting operations of up to 6 inches. These outfits feature quality construction throughout, and the torch and regulators are built to provide years of reliable service.



Toughcut[™] Outfits (page 7)

Toughcut medium-duty outfits are value priced and capable of cutting, welding, brazing or heating. The torch design provides excellent agility for precision cutting operations of up to 6 inches. This series includes many of the features of more expensive outfits, while remaining an economical, yet highly flexible option.



Tag-A-Long[™] and Versa-Torch[™] Outfits (page 8)

These complete, portable oxy-acetylene outfits weigh less than 35 pounds, and are housed in polyethylene carriers designed for mobility and ease of storage. Outfits are capable of performing many welding, brazing or soldering operations, as well as precision cutting. The Versa-Torch with a broad selection of attachments available, is ideal for many specialty applications.

Heavy-Duty Cutting, Welding & Heating



Cuts up to 8 inches (203 mm) with optional tips Welds up to 1/2 inch (13 mm) with optional tips

These premium heavy-duty outfits feature our proven in-tip gas mixing technology and *include torch-mount flashback arrestors*. This combination greatly improves operator safety and increases torch life. The outfits feature rugged, highly accurate brass regulators. Outfits with Series 40^{M} regulators feature 2.5-inch (Series 30^{M} , 2-inch) corrosion-resistant gauges and shatter-resistant polycarbonate lenses. Outfits are complete with safety and operations manual.

Note: Welding may require additional equipment depending on which outfit is ordered. See chart below.



Torches are covered by our lifetime warranty when used with authentic Miller | Smith tips. Regulators are covered by a three-year limited warranty.





HBA-40510 / HBA-40300 with heavy-duty regulators



HBA-30510 / HBA-30300 with medium-duty regulators



HBA-30510LP / HBA-30510MP with medium-duty regulators

Note: All outfits packaged in outfit box shown above. Cutting capacity with tips supplied in acetylene outfits is up to 1-1/4 inches (32 mm).

Stock Number	Fuel Gas	Torch Handle	Cutting Attachment	Cutting Tip	Welding Tip	Heating Tip	Oxygen Regulator	Fuel Gas Regulator	Includes
HBA-40510	Acetylene	WH200A	SC209	SC12-1 SC12-2	SW205	ST602	40-175-540 CGA 540	40-15-510 CGA 510	25-ft. (7.6 m) 1/4-in. (6 mm) twin hose, lighter, safety glasses, tip cleaner,
HBA-40300								40-15-300 CGA 300	H743 torch-mount flashback arrestors, operations manual
HBA-30510	Acetylene	WH200A	SC209	SC12-1	SW205	ST602	30-100-540 CGA 540	30-15-510 CGA 510	Propane/Propylene (LP/MP) outfits include 20-ft. (6.1 m) 1/4-in. (6 mm)
HBA-30300								30-15-300 CGA 300	"T" grade hose and check valves, not flashback arrestors
HBA-30510LP	Propane or Natural Gas	WH200A	SC209	SC40-1	-	ST615	30-100-540 CGA 540	30-50-510 CGA 510	
HBA-30510MP	Propylene	WH200A	SC209	SC60-1	-	ST815			

Heavy-Duty Cutting



Cuts up to 12 inches (305 mm) with optional tips

Hand cutting torch outfits are built for the toughest jobs. They feature a SC229 nickel-plated cutting torch with a reversible cutting lever and an ease-on oxygen design for smooth starts and restarts. These outfits come with heavy-duty Series 40[™] regulators which feature 2.5-inch polished brass gauges for corrosion resistance, shatter-resistant polycarbonate lenses, and stainless steel diaphragms for extended service life in the toughest applications. The HB190 Hard Hat[™] gauge/regulator guards are made from rugged steel. Outfits are complete with safety and operations manual.



Torches are covered by our lifetime warranty when used with authentic Miller | Smith tips. Regulators are covered by a three-year limited warranty.



Cuts up to 12 inches (305 mm) with optional tips

Hand cutting torch outfits are built for the toughest jobs. They feature a SC229 nickel-plated cutting torch with a reversible cutting lever and an ease-on oxygen design for smooth starts and restarts. These outfits come with medium-duty Series 30[™] regulators which feature 2-inch corrosion-resistant gauges and shatter-resistant polycarbonate lenses. Outfits are complete with safety and operations manual.



Note: Cutting capacity with tips supplied in HBS outfit is up to 1-1/4 inches (32 mm). Cutting capacity with tips supplied in HBAS outfit is up to 5/8 inch (16 mm).

Stock Number	Fuel Gas	Cutting Torch	Cutting Tip	Oxygen Regulator	Fuel Gas Regulator	Includes
HBS-H510S	Acetylene	SC229	SC12-2	40-175-540S CGA 540	40-15-510S CGA 510	HB190 Hard Hat gauge/regulator guard, operations manual
HBS-H300S					40-15-300S CGA 300	
HBAS-30510	Acetylene	SC229	SC12-1	30-100-540 CGA 540	30-15-510 CGA 510	20-ft. (6.1 m) 3/16-in. (5 mm) twin hose, lighter, safety glasses, tip cleaner,
HBAS-30300					30-15-300 CGA 300	H743 torch-mount flashback arrestors, operations manual



HBAS-30510 HBAS-30300

Medium-Duty Cutting, Welding & Heating



Cuts up to 6 inches (153 mm) with optional tips Welds up to 3/8 inch (9.8 mm) with optional tips

These premium medium-duty outfits feature quality construction throughout and are built to provide reliability and extended service. Outfits feature our proven in-tip gas mixing technology and *include torch-mount flashback arrestors*. This combination greatly improves operator safety and increases torch life. Outfits feature rugged, highly accurate Series 30[™] regulators with 2-inch gauges constructed with Sure Seat[™] technology and shatterresistant polycarbonate lenses. Outfits are complete with safety and operations manual.

Note: Welding may require additional equipment depending on which outfit is ordered. See chart below.



Torches are covered by our lifetime warranty when used with authentic Miller | Smith tips. Regulators are covered by a three-year limited warranty.





MBA-30510 / MBA-30300

MBA-30510LP / MBA-30510MP

Note: All outfits packaged in outfit box shown above. Cutting capacity with tips supplied in acetylene outfits is up to 5/8 inch (16 mm). Welding capacity is up to 1/8 inch (3 mm).

		Torch	Cutting	Cutting	Welding	Heating	Oxygen	Fuel Gas	
Stock Number	Fuel Gas	Handle	Attachment	Tip	Tip	Tip	Regulator	Regulator	Includes
MBA-30510	Acetylene	WH100	MC509	MC12-0	MW205	MT603	30-100-540	30-15-510	20-ft. (6.1 m) 3/16-in. (5 mm) twin hose,
				MC12-1			CGA 540	CGA 510	lighter, safety glasses, tip cleaner,
MBA-30300								30-15-300	H743 torch-mount flashback arrestors,
								CGA 300	operations manual
MBA-30510LP	Propane or	WH100	MC509	MC40-1	_	MT805	30-100-540	30-50-510	Propane/Propylene (LP/MP) outfits
	Natural Gas						CGA 540	CGA 510	include 20-ft. (6.1 m) 1/4-in. (6 mm)
MBA-30510MP	Propylene	WH100	MC509	MC60-1	_	MT805	1		"T" grade hose and check valves,
									not flashback arrestors
G									

Toughcut[®] Cutting, Welding & Heating



Cuts up to 6 inches (153 mm) with optional tips Welds up to 3/8 inch (9.8 mm) with optional tips

Versatile Toughcut outfits include many features found on more expensive outfits. The Toughcut series is perfect for a multitude of applications such as farm, ranch, hobby, automotive, refrigeration, light fabrication, and repair. Outfits feature rugged, reliable Series 30[™] medium-duty regulators, and are complete with safety and operations manual.

Note: Welding and heating may require additional equipment depending on which outfit is ordered. See chart below.



Torches and regulators are covered by a three-year limited warranty.





MB55A-510 / MB55A-300



MB54A-510 / MB54A-300



MB54-510L / MB54-300L

Note: All outfits packaged in clam shell shown above. Cutting capacity with tips supplied in acetylene outfits is up to 5/8 inch (16 mm). Welding capacity is up to 1/8 inch (3 mm).

Stock Number	Fuel Gas	Torch Handle	Cutting Attachment	Cutting Tip	Welding Tip	Heating Tip	Oxygen Regulator	Fuel Gas Regulator	Includes
MB55A-510	Acetylene	CW5A	CC509P	MC12-1	MW205	MT603	30-100-540	30-15-510	20-ft. (6.1 m) 3/16-in. (5 mm)
							CGA 540	CGA 510	twin hose, lighter, safety glasses,
MB55A-300								30-15-300	safety check valves, operations
								CGA 300	manual
MB54A-510	Acetylene	CW5A	CC509P	MC12-1	MW205	-	30-100-540	30-15-510	
							CGA 540	CGA 510	
MB54A-300								30-15-300	
								CGA 300	
MB54A-B9	Acetylene	CW5A	CC509P	MC12-1	MW205	_	30-100-B9	30-15-B9	_
British fitting							G5/8A-14RH	G5/8A-14LH	
MB54-510L	Acetylene	CW5A	CC509P	MC12-1	MW205	_	30-100-540	30-15-510	Safety glasses, safety check valves,
							CGA 540	CGA 510	operations manual
MB54-300L								30-15-300	-
								CGA 300	
MB54A-510LP	Propane	CW5A	CC509P	MC40-1	_	-	30-100-540	30-50-510	20-ft. (6.1 m) 1/4-in. "T" grade hose,
							CGA 540	CGA 510	lighter, safety glasses, safety check
MB54A-510MP	Propylene	CW5A	CC509P	MC60-1	_	_			valves, operations manual
	.,								

Tag-A-Long[™] and Versa-Torch[™]



Versa-Torch torch is covered by our lifetime warranty when used with authentic Miller | Smith tips. Tag-A-Long torch and all regulators are covered by a three-year limited warranty.


TL-550/TL-500 Tag-A-Long Outfits (Acetylene)

Portable, lightweight Tag-A-Long cutting and welding outfits are ready to go where you need them. Compact design stores easily for road travel or when not in use. Series 30[™] regulators provide efficient and dependable control of gases. The high-density polyethylene carrier is extremely durable and includes a hose wrap and covered storage compartment for accessories. Outfit also includes reverse flow check valves for added safety plus safety and operations manual.

VT-4T Versa-Torch Outfit

This is one of the most versatile systems on the market. A broad selection of cutting, welding and specialty attachments (see below) makes the Versa-Torch ideal for manufacturing, maintenance and repair, air conditioning, refrigeration, plumbing, metal fabrication, jewelry, metal sculpture and many other applications. The Versa-Torch outfit features a lightweight nickel-plated torch handle and cutting attachment. The high-density polyethylene carrier is rugged and lightweight. Outfit also includes reverse flow check valves for added safety plus safety and operations manual.

Both the Tag-A-Long and Versa-Torch outfits use "MC" medium-duty cutting tips.



Versa-Torch Brazing/Soldering Tip Selection

Cutting capacity with tips supplied in outfits is up to 3/8 inch (10 mm). Welding capacity is up to 1/8 inch (3 mm).

Stock		Torch	Cutting	Cutting	Welding/	Oxygen	Fuel Gas	
Number	Fuel Gas	Handle	Attachment	Tip	Brazing Tip	Regulator	Regulator	Includes
TL-500	Acetylene	CW5A	CC509P	MC12-0	MW203	30-100-540	30-15-200	12.5-ft. (3.8 m) 3/16-in. (5 mm) twin hose, carrier, lighter,
(No Tanks)						CGA 540	CGA 200	safety glasses, regulator-mount safety check valves,
TL-550								operations manual, "R" 20-cuft. oxygen and "MC" 10-cuft.
								acetylene cylinders (cylinders not included with TL-500)
VT-4T	Acetylene	AW1A	AC309	MC12-00	LT103	30-100-540	30-15-200	12.5-ft. (3.8 m) 3/16-in. (5 mm) twin hose, carrier, lighter,
					LT104	CGA 540	CGA 200	safety glasses, regulator-mount safety check valves,
					LT106			operations manual, "R" 20-cuft. oxygen and "MC" 10-cuft.
								acetylene cylinders, AT60 tip tube, 13716 heating head

Combination Torch and Tip Packages



16206 heavy-duty

Intertek



16205 medium-duty



16280 heavy-duty



16281 medium-duty

Combination torch with cutting, welding and heating tips plus flashback arrestors

Heavy-duty

Cuts up to 8 inches (203 mm) with optional tips Welds up to 1/2 inch (13 mm) with optional tips

Medium-duty

Cuts up to 6 inches (153 mm) with optional tips Welds up to 3/8 inch (9.8 mm) with optional tips

These premium, versatile kits come with tips to do most jobs. They include either our classic SC or MC cutting assembly with a heating tip, welding tip, cutting tip and torch-mount flashback arrestors, plus safety and operations manual. Torches are capable of cutting up to 5/8 inch (16 mm) with tip included. Our thick-wall welding and heating tips hold up well to excess heat and are capable of providing years of service. The Graf-Tite® cutting tip seats hold up far longer and require less replacement than traditional metal-to-metal seats. Torches may be used with alternate fuel gases and tips designated for alternate fuel.



Torches are covered by our lifetime warranty when used with authentic Miller | Smith tips.

Combination torch with cutting tips plus flashback arrestors

Heavy-duty

Cuts up to 8 inches (203 mm) with optional tips Welds up to 1/2 inch (13 mm) with optional tips

Medium-duty

Cuts up to 6 inches (153 mm) with optional tips Welds up to 3/8 inch (9.8 mm) with optional tips

These premium kits come with either our classic SC or MC cutting assembly with two cutting tips and torch-mount flashback arrestors, plus safety and operations manual. Torches in the acetylene outfits are capable of cutting up to 5/8 inch (16 mm) with tips included. The Graf-Tite[®] cutting tip seats hold up far longer and require less replacement than traditional metal-to-metal seats. Torches may be used with alternate fuel gases and tips designated for alternate fuel.

Stock Number	Fuel Gas	Torch Handle	Cutting Attachment	Cutting Tip	Welding Tip	Heating Tip	Includes	
16206 (Heavy-duty)	Acetylene	WH200A	SC209	SC12-1	SW203	ST602 (40,000 Avg. BTU/Hr.)	H743 torch-mount flashback arrestors,	
16205 (Medium-duty)	Acetylene	WH100	MC509	MC12-1	MW203	MT603 (40,000 Avg. BTU/Hr.)	operations manual	
16280 (Heavy-duty)	Acetylene	WH200A	SC209	SC12-0, SC12-1	_	-	H743 torch-mount	
16281 (Medium-duty)	Acetylene	WH100	MC509	MC12-0, MC12-1			flashback arrestors,	
16280LP (Heavy-duty)	Propane	WH200A	SC209	SC40-0, SC40-1			operations manual	
16281LP (Medium-duty)	Propane	WH100	MC509	MC40-0, MC40-1				