



COMPLETE LINEUP
INCLUDING:
ES 130i PRO
ES 180i PRO
ET 200i PRO!

GO ROGUE

WITH RULE-DEFYING PERFORMANCE.

THE DAYS OF ENTRY-LEVEL
MEDIOCRITY ARE OVER. WITH
UNCONVENTIONAL FEATURES,
UNPRECEDENTED PERFORMANCE,
AND AN ALL-NEW INDUSTRIAL DESIGN,
ROGUE USHERS IN A NEW ERA OF
WELDING CAPABILITY THAT WILL
FORCE YOU TO RETHINK EVERYTHING
YOU EXPECT FROM A PORTABLE
MACHINE AT THIS PRICE POINT.
ARE YOU READY TO GO ROGUE?





BREAK AWAY FROM CONVENTION WITH THE RULE-DEFYING ROGUE.

ENTRY-LEVEL PERFORMANCE.

Rogue's next-level technology gives you precise, professional and consistent control for a smooth, stable performance every time. The ES models offer low spatter levels across all types of MMA electrodes and weld positions, and feature adjustable hot start and arc force to help you increase penetration and prevent electrodes from sticking. ET models feature high-frequency TIG start and advanced TIG controls, including gas pre-flow, start current, end current and gas post-flow. Never before has an entry-level welder been packed with such high-quality performance.



BASIC POWER.

Throw away your preconceptions about welders in this class – Rogue's power stacks up against machines twice its price. Power Factor Control (PFC) technology allows for a highly efficient and steady arc that is resistant to power fluctuations. Rogue runs on 115 V or 230 V with flexible automatic input voltage compensation, making it ideal for both main and generator power. With up to 25% duty cycle at 200 A, Rogue has the strength to crush jobs on thicker materials.

UNDERWHELMING STRENGTH.

No other machine at this price point comes close to matching Rogue's strength. Its robust and rigid fiberglass-molded housing is built to withstand impact after impact, in the shop or in the field. Like every ESAB machine, Rogue comes with our industry-leading three year warranty for unbeatable peace of mind. Goodbye, cheaply constructed welders.





LIMITED PORTABILITY.

Rogue's compact and lightweight design makes it easy to carry from job to job. It weighs in at just 18.2 lbs or 21.2 lbs depending on the model, and its sturdy handle and included shoulder strap make it more comfortable than ever before to go wherever you need to.

POOR USABILITY.

Rogue has been tested in laboratories around the world to ensure it rises to global performance and usability standards. Its easy-to-use interface contains a large digital display that can be easily read from up to 80 ft away. The optional remote control allows you to adjust current settings without needing to go back to the machine. With the ET model, you can easily control the machine from the TIG torch, foot pedal or hand controller. No matter where you are working, Rogue simply welds well.



IT IS TIME TO JOIN THE ROGUE REVOLUTION.

Unlike other machines in this class, Rogue comes with a range of **premium accessories**, giving you everything you need to start welding right out of the box.

ES 130i



SPECIFICATIONS

Product	ES 130i PRO	ES 180i PRO	ET 200iP PRO
Welding process	Stick / Live TIG	Stick / Live TIG	TIG HF / Stick
Primary Voltage 1 ph	120 – 230 VAC +/- 15%, 50/60 Hz	120 – 230 VAC +/- 15%, 50/60 Hz	120 – 230 VAC +/- 15%, 50/60 Hz
Maximum Output	130 A	180 A	200 A
Rated kVA	3.9 kVA	6 kVA	7 kVA
Energy Save Mode	50 W	50 W	50 W
Open Circuit Voltage	78 V DC	78 V DC	78 V DC
Stick (SMAW) Welding Output (230 V)			
at 25% Duty Cycle	130 A / 25.2 V	180 A / 27.2 V	200 A / 28.0 V
at 60% Duty Cycle	84 A / 23.4 V	116 A / 24.6 V	129 A / 25.2 V
at 100% Duty Cycle	65 A / 22.6 V	90 A / 23.6 V	100 A / 24.0 V
Stick (SMAW) Welding Output (120 V)			
at 25% Duty Cycle	90 A / 23.6 V	110 A / 24.4 V	110 A / 24.4 V
at 60% Duty Cycle	58 A / 22.3 V	70 A / 22.8 V	70 A / 22.8 V
at 100% Duty Cycle	45 A / 21.8 V	55 A / 22.2 V	55 A / 22.2 V
TIG (GTAW) Welding Output (230 V)			
at 25% Duty Cycle	130 A / 15.2 V	180 A / 17.2 V	200 A / 18.0 V
at 60% Duty Cycle	84 A / 13.4 V	116 A / 14.6 V	129 A / 15.2 V
at 100% Duty Cycle	65 A / 12.6 V	90 A / 13.6 V	100 A / 14.0 V
TIG (GTAW) Welding Output (120 V)			
at 25% Duty Cycle	130A / 15.2V	140 A / 15.6 V	140 A / 15.6 V
at 60% Duty Cycle	84A / 13.4 V	90 A / 13.6 V	90 A / 13.6 V
at 100% Duty Cycle	65 A / 12.6 V	70 A / 12.8 V	70 A / 12.8 V
Current Range	10-130 on 230VAC 10-130 on 120VAC, depending on process	10-180 on 230VAC 10-140 on 120VAC, depending on process	10-200 on 230VAC 10-140 on 120VAC, depending on process
Operating Temperature	+14 to +104 °F (-10 to +40 °C)	+14 to +104 °F (-10 to +40 °C)	+14 to +104 °F (-10 to +40 °C)
Enclosure Class	IP23S	IP23S	IP23S
Dimensions	13.5 x 6 x 10.4 in. (343 x 153 x 264 mm)	13.5 x 6 x 10.4 in. (343 x 153 x 264 mm)	13.5 x 6 x 10.4 in. (343 x 153 x 264 mm)
Weight	18.2 lbs (8.25 kg)	18.2 lbs (8.25 kg)	21.2 lbs (9.6 kg)

ORDERING INFORMATION

Model Number	0700500091	0700500070	0700500073
--------------	------------	------------	------------

ET 200iP

ES 180i

NEW



OPTIONS AND ACCESSORIES

Rogue Model	GIN	Description
ES	35857	TIG Torch HW-17 Valve, 12.5 ft (3.8 m)
ES	0700500084	Remote control MMA 4
ES	700500085	Toolbox
ES, ET	0700500086	Shoulder strap
ES, ET	W4014000	Power adapter
ES, ET	W4014450	Foot pedal 8 PIN
ES, ET	WS200E13	Electrode Holder 200A and Lead Assembly, 13 ft (4 m), 50 mm
ES, ET	WS200G10	Tweco Ground Clamp w/Lead, 10 ft (3 m), 50 mm Dinse
ET	0781-9411	GF250-50-580
ET	16X48	HW 17 60 DEG 12 5 ft (3.8 m)
ET	0700025557	TIG Torch SR-B 26FX-R 4 m Remote
ET	700025591	TIG Torch SR-B 26FX-R 8 m Remote

Rogue ES delivery includes: power source with 10 ft (3 m) mains cable and plug, shoulder strap, Electrode holder 10 ft (3 m), return cable with clamp 10 ft (3 m), power adaptor 115V/230V.

Additionally with Rogue ET: TIG torch SR-B 26 type 13 ft (4 m), a set of wear parts including tungsten electrode and gas regulator with 13 ft gas hose.



Defy convention. Go rogue. Visit esab.com/rogue to find a distributor near you.

UNRIVALLED SERVICE AND SUPPORT.

Rogue, like every ESAB machine, is backed by our commitment to superior customer service and support. Our skilled customer service department is prepared to quickly answer any questions, address problems, and help with maintenance and upgrading of machines.

For more information on Rogue, visit esab.com/rogue.

3-YEAR WARRANTY.

ESAB's industry-leading service and support means that if customers do need help, they will be protected by the most comprehensive warranty in the business.



THE MACHINES AND METALS YOU NEED.

When choosing a top-performing welding machine, you should also choose top-performing ESAB filler metals to maximise your investment. Learn more by visiting esab.com/fillermetals.

100% SATISFACTION GUARANTEE.

If there's anything you're not completely satisfied with in your first 100 days with your new Rogue, ESAB will make it right, even if it means giving you your money back.



It's all part of our Iron Clad Pledge to our customers.



ESAB / esab.com



XA0026621 / NA / EN / 02-18-21